

2023 Harvest Tec Selection Guide

| Large Square Moisture Only Kits<br>Baler Model                 | Display Options*  |              | Moisture Kits include: Starwheels, Main Processor, all harnesses and mounting components | Economy Microwave Moisture System | Common Accessories  |   |
|--|-------------------|--------------|--|-----------------------------------|---------------------|---|
|  | Baler ISO Display | Tablet or VT |  |                                   | Large Square Balers |   |
| AGCO Model Balers 2100 and Newer                               | Y                 | O            | 201LS  | 700A                              | 77E                 | 474A Crop Eye Kit - Auto & Elect.<br>474C Crop Eye Kit - 700 Series Only                    |
| AGCO Model 2370 UHD Baler                                      | Y                 | O            | 201LS  | 700UHD                            | 77E                 | 740DM Moisture Dye Marker Kit (700 Series Only)   |
| Case IH 4 series / New Holland BB Balers                       | Y                 | O            | 201LS  | 700BB                             | 77E                 | 745RFV Dye Marker (requires scale kit on baler)   |
| Case & New Holland HD Baler                                    | Y                 | O            | 201LS  | 700BBHD                           | 77E                 | 1670DK Android Field Ready Kit (700 Series Only)  |
| John Deere L330, L340 Balers                                   | Y                 | O            | 201LS  | 700J                              | 77E                 | 4670DK iPad Mini kit (refurbished)<br>Hay App Preloaded                                     |
| Claas Quadrant and Krone HDP Balers (side mounted star wheels) | N                 | R            | 201LS  | 700CL                             | 77E                 | 7670DK Harvest Tec Virtual Terminal (700 Series Only)                                       |
| Large Square Balers - Not Listed                               | N                 | R            | 201LS  | 700                               | 77E                 | 9212 Electric 12V Transfer Pump (4 gpm)<br>200DM Dye Marker Kit (Requires H2O Moisture Kit) |

| Large Square Applicators<br>Baler Model                 | Display Options*  |              | 700 Series Automatic Controlled with ISOBUS, Tablet or VT (6 - 8 hours to install) |          |          | Electronic (3 - 4 hours to install) |          |          | Upgrade Electronic to Automatic (Display not included) |
|---|-------------------|--------------|--|----------|----------|-------------------------------------|----------|----------|--|
|   | Baler ISO Display | Tablet or VT | 100 Gal.   | 110 Gal. | 115 Gal. | 100 Gal.                            | 110 Gal. | 115 Gal. | Part #   |
| <b>AGCO</b>   |                   |              |  |          |          |                                     |          |          |  |
| 7430  | N                 | R            |  | 7964494C |          |                                     | 4914494  |          | 7654494C   |
| 7430 with Roto-Cutter                                   | N                 | R            |  | 7964500C |          |                                     | 4914500  |          | 7654500C   |
| 7433, 7434, 7444, 2150, 2170, 2190                      | Y                 | O            |  | 7964518C |          |                                     | 4914518  |          | 7654518C   |
| 7433, 7434, 7444, 2150, 2170, 2190 with Roto-Cutter     | Y                 | O            |  | 7964519C |          |                                     | 4914519  |          | 7654519C   |
| <b>CASE IH</b>  |                   |              |  |          |          |                                     |          |          |  |
| 8585  | N                 | R            |  | 7964492C |          |                                     | 4914492  |          | 7654492C   |
| 8570, 8575  | N                 | R            |  | 7964490C |          |                                     | 4914490  |          | 7654490C   |
| 8580, 8590  | N                 | R            |  | 7964491C |          |                                     | 4914491  |          | 7654491C   |
| LBX 331, 332, 431, 432, LB333 & LB433 Standard / Packer | N                 | R            |  | 7964495C |          |                                     | 4914495  |          | 7654495C   |
| LBX 331, 332, 431, 432, LB333 & LB433 with Roto-Cutter  | N                 | R            |  | 7964497C |          |                                     | 4914497  |          | 7654497C   |
| LB433 Standard / Packer, 2011 or newer                  | N                 | R            |  | 7964528C |          |                                     | 4914528  |          | 7654528C   |

\*Y=Integrate w/baler N=No integration w/baler  
K=006-6650VAK-Krone CCI 1200, above 976909

O=Tablet/Virtual Terminal optional  
R=Tablet, VT, Tractor ISO required

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
Rev. 9/19/2023

2023 Harvest Tec Selection Guide

| Large Square<br>Applicators<br>Baler Model                | Display Options*     |                 | 700 Series Automatic<br>Controlled with ISOBUS, Tablet or VT<br>(6 - 8 hours to install) |          |            | Electronic<br>(3 - 4 hours to install) |                                 |           | Upgrade Electronic<br>to Automatic<br>(Display not included) |
|---|----------------------|-----------------|--|----------|------------|--|---------------------------------|-----------|--|
|   | Baler ISO<br>Display | Tablet or<br>VT | 100 Gal.   | 110 Gal. | 115 Gal.   | 100 Gal.                               | 110 Gal.                        | 115 Gal.  | Part #   |
|   |                      |                 |  |          |            |  |                                 |           |  |
| <b>CASE IH continued</b>                                  |                      |                 |  |          |            |  |                                 |           |  |
| LB433 with Roto-Cutter, 2011 or newer                     | N                    | R               |  | 7964529C |            |  | 4914529                         |           | 7654529C   |
| LB234   | Y                    | O               |  |          | 7964532C** |  |                                 | 4914532** | 7654533C**   |
| (LB334, LB334XL) Standard or Packer                       | Y                    | O               |  |          | 7964533C** |  |                                 | 4914533** | 7654533C**   |
| (LB334, LB334XL) Roto Cut                                 | Y                    | O               |  |          | 7964635C** |  |                                 | 4914535** | 7654635C**   |
| (LB434, LB434 XL) Standard or Packer                      | Y                    | O               |  |          | 7964534C** |  | **Exclusive to CNH Dealers Only | 4914534** | 7654534C**   |
| (LB434, LB434 XL) Roto Cut                                | Y                    | O               |  |          | 7964636C** |  |                                 | 4914536** | 7654636C**   |
| LB436 HD  | Y                    | O               |  |          | 7954636C** |  |                                 | 4904536** |  |
| <b>CHALLENGER</b>   |                      |                 |  |          |            |  |                                 |           |  |
| LB33  | N                    | R               |  | 7964494C |            |  | 4914494                         |           | 7654494C   |
| LB33 with Roto-Cutter                                     | N                    | R               |  | 7964500C |            |  | 4914500                         |           | 7654500C   |
| LB34  | N                    | R               |  | 7964492C |            |  | 4914492                         |           | 7654492C   |
| LB34 with Roto-Cutter                                     | N                    | R               |  | 7964501C |            |  | 4914501                         |           | 7654501C   |
| LB33B, LB34B, LB34B XD, LB44B<br>2250, 2270, 2270XD, 2290 | Y                    | O               |  | 7964518C |            |  | 4914518                         |           | 7654518C   |
| LB33B, LB34B, 2250, 2270, 2290<br>with Roto-Cutter        | Y                    | O               |  | 7964519C |            |  | 4914519                         |           | 7654519C   |
| 2250, 2270, 2270XD Pro-Cut                                | Y                    | O               |  | 7964542C |            |  | 4914542                         |           | 7654542C   |
| LB33B, 2250 with Packer-Cutter                            | Y                    | O               |  | 7964527C |            |  | 4914527                         |           | 7654527C   |
| LB34B XD, 2270XD with Roto-Cutter                         | Y                    | O               |  | 7964530C |            |  | 4914530                         |           | 7654530C   |
| 2370 UHD  | Y                    | O               |  | 7964544C |            |  | 4914544                         |           |  |
| <b>CLAAS</b>  |                      |                 |  |          |            |  |                                 |           |  |
| Quadrant 2100   | N                    | R               | 7964509C   |          |            |  | 4914509                         |           | 7654509C   |
| Quadrant 2200   | N                    | R               | 7964499C   |          |            |  | 4914499                         |           | 7654499C   |
| Quadrant 3200, 3300, 3400, 5200                           | N                    | R               | 7964537C   |          |            |  | 4914537                         |           | 7654537C   |
| Quadrant 5300   | N                    | R               | 7954537C   |          |            |  | 4904537                         |           |  |
| 1100, 1150 (55 gal tank) - 600 Series Only                | N                    | R               | 6524520B   |          |            |  | 4484520                         |           |  |

\*Y=Integrate w/baler N=No integration w/baler  
K=006-6650VAK-Krone CCI 1200, above 976909

O=Tablet/Virtual Terminal optional  
R=Tablet, VT, Tractor ISO required

2023 Harvest Tec Selection Guide

| Large Square<br>Applicators                                     | Display Options*     |                 | 700 Series Automatic<br>Controlled with ISOBUS, Tablet or VT<br>(6 - 8 hours to install) |                       |  | Electronic<br>(3 - 4 hours to install) |           |          | Upgrade Electronic<br>to Automatic<br>(Display not included) |
|---|----------------------|-----------------|--|-----------------------|--|--|-----------|----------|--|
|   | Baler ISO<br>Display | Tablet or<br>VT | 100 Gal.   | 110 Gal.              | 115 Gal.   | 100 Gal.                               | 110 Gal.  | 115 Gal. | Part #   |
|   |                      |                 |  |                       |  |  |           |          |  |
| <b>HESSTON</b>  |                      |                 |  |                       |  |  |           |          |  |
| 4750, 4755  | N                    | R               |  | 7964490C              |  |  | 4914490   |          | 7654490C   |
| 4760  | N                    | R               |  | 7964494C              |  |  | 4914494   |          | 7654494C   |
| 4760 with Roto-Cutter   | N                    | R               |  | 7964500C              |  |  | 4914500   |          | 7654500C   |
| 4790  | N                    | R               |  | 7964492C              |  |  | 4914492   |          | 7654492C   |
| 4790 with Roto-Cutter   | N                    | R               |  | 7964501C              |  |  | 4914501   |          | 7654501C   |
| 4900, 4910  | N                    | R               |  | 7964491C              |  |  | 4914491   |          | 7654491C   |
| <b>JOHN DEERE</b>   |                      |                 |  |                       |  |  |           |          |  |
| L330, L340  | Y                    | O               |  | 796J4525C             |  |  | 491J4525  |          | 765J4525C  |
| L331, L341  | Y                    | O               |  | Contact<br>John Deere |  |  | 491J4525  |          |  |
| <b>KUHN</b>   |                      |                 |  |                       |  |  |           |          |  |
| LSB 870, 890, 890D  | N                    | R               |  | 7964510C              |  |  | 4914510   |          | 7654510C   |
| LSB 1270, 1290, 1290D   | N                    | R               |  | 7964511C              |  |  | 4914511   |          | 7654511C   |
| LSB 890, 890D, 1270, 1290, 1290D with Omni<br>Cut and Opti Feed | N                    | R               |  | 7964525C              |  |  | 4914525   |          | 7654525C   |
| <b>KRONE</b>  |                      |                 |  |                       |  |  |           |          |  |
| BigPack 890, 890 HighSpeed                                      | N,K                  | R               | 7964515C   |                       |  |  | 4914515   |          | 7654515C   |
| BigPack 1270, 1290 - Gen 5                                      | N,K                  | R               |  | 795K4548C             |  |  | 490K4548  |          | Contact<br>Harvest Tec                                       |
| Big Pack 1270VC, 1290VC - Gen 5                                 | N,K                  | R               |  | 795K4541C             |  |  | 490K4541  |          | Contact<br>Harvest Tec                                       |
| BigPack 1270,1290 HighSpeed                                     | N,K                  | R               | 7964515C◊  |                       |  |  | 4914515◊  |          | 7654515C   |
| BigPack 870 HDP HighSpeed                                       | N,K                  | R               | 7964515C*◊   |                       | *Requires Krone p/n 200731940<br>(order from Krone)          |  | 4914515◊  |          | 7654515C*  |
| BigPack 870 HDP HighSpeed w/ X-Cut                              | N,K                  | R               | 796V4540C*◊  |                       |  |  | 491V4540◊ |          | 7654540C*  |
| BigPack 890,1270,1290 w/ X-Cut                                  | N,K                  | R               | 7964514C   |                       | ◊Requires x2 brackets 001-6707KV<br>(order from Harvest Tec) |  | 4914514   |          | 7654514C   |
| BigPack 890 HighSpeed w/ X-Cut                                  | N,K                  | R               | 796V4540C◊   |                       |  |  | 491V4540◊ |          | 7654540C*  |
| BigPack 1270,1290 HighSpeed w/ X-Cut                            | N,K                  | R               | 796V4541C  |                       |  |  | 491V4541  |          | 7654541C   |

\*Y=Integrate w/baler N=No integration w/baler  
K=006-6650VAK-Krone CCI 1200, above 976909

O=Tablet/Virtual Terminal optional  
R=Tablet, VT, Tractor ISO required

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
Rev. 9/19/2023

2023 Harvest Tec Selection Guide

| Large Square Applicators<br>Baler Model  | Display Options*  |              | 700 Series Automatic<br>Controlled with ISOBUS, Tablet or VT<br>(6 - 8 hours to install) |            |   | Electronic<br>(3 - 4 hours to install) |           |          | Upgrade Electronic to Automatic<br>(Display not included) |
|--|-------------------|--------------|--|------------|---|--|-----------|----------|---|
|  | Baler ISO Display | Tablet or VT | 100 Gal.   | 110 Gal.   | 115 Gal.  | 100 Gal.                               | 110 Gal.  | 115 Gal. | Part #  |
|  |                   |              |  |            |   |  |           |          |   |
| <b>KRONE continued</b>   |                   |              |  |            |   |  |           |          |   |
| BigPack 1290 HDP - Gen 5   | N,K               | R            |  | 795K4548C  | *Requires Krone p/n 200731940<br>(order from Krone) |  | 490K4548  |          | Contact Harvest Tec                                       |
| BigPack 1290 HDP w/ X-Cut, Extreme   | N,K               | R            |  | 796K4514C* |   |  | 491K4514  |          | 765K4514C*  |
| BigPack 1290 HDP HighSpeed w/ X-Cut  | N,K               | R            |  | 796K4541C* |   |  | 491K4541  |          | Contact Harvest Tec                                       |
| BigPack 1290 HDP VC - Gen 5  | N,K               | R            |  | 795K4541C  |   |  | 490K4541C |          | Contact Harvest Tec                                       |
| BigPack 4x4 & 4x4 HighSpeed  | N,K               | R            |  | 796K4539C  |   |  | 491K4539  |          | 7654539C  |
| BigPack 4x4 HighSpeed w/ X-Cut   | N,K               | R            |  | 796K4541C  |   |  | 491K4541  |          | 7654541C  |
| BigPack 1290 HDP High Speed, 12130   | N                 | R            |  | 796K4515C* |   |  | 491K4515  |          | 765K4515C   |
| BigPack 12130 w/ X-Cut   | N                 | R            |  | 796K4514C  |   |  | 491K4514  |          | 765K4514C   |
| BigPack 88, 128  | N                 | R            | 7964498C   |            |   | 4914498                                |           | 7654498C |   |
| BigPack (88 & 128) MultiCut  | N                 | R            | 796V4495C  |            |   | 491V4495                               |           | 7654495C |   |
| <b>MASSEY FERGUSON</b>   |                   |              |  |            |   |  |           |          |   |
| 2050   | N                 | R            |  | 7964494C   |   |  | 4914494   |          | 7654494C  |
| 2050 with Roto-Cutter  | N                 | R            |  | 7964500C   |   |  | 4914500   |          | 7654500C  |
| 2140, 2150, 2160, 2170, 2170 XD, 2190<br>2224, 2244, 2250, 2270, 2270 XD, 2290 | Y                 | O            |  | 7964518C   |   |  | 4914518   |          | 7654518C  |
| (2140, 2150, 2160, 2170, 2190, 2250, 2270<br>2290) with Roto-Cutter            | Y                 | O            |  | 7964519C   |   |  | 4914519   |          | 7654519C  |
| 2233, 2234, 2234XD   | Y                 | O            |  | 7964550C   |   |  | 4914550   |          | 7654550C  |
| (2250, 2270, 2270XD, 2233, 2234, 2234XD)<br>with Pro-Cut                       | Y                 | O            |  | 7964542C   |   |  | 4914542   |          | 7654542C  |
| (2150, 2250) with Packer-Cutter  | Y                 | O            |  | 7964527C   |   |  | 4914527   |          | 7654527C  |
| (2170XD, 2270XD) with Roto-Cutter  | Y                 | O            |  | 7964530C   |   |  | 4914530   |          | 7654530C  |
| 2370 UHD   | Y                 | O            |  | 7964544C   |   |  | 4914544   |          |   |
| <b>NEW HOLLAND</b>   |                   |              |  |            |   |  |           |          |   |
| 590, 595   | N                 | R            |  | 7964495C   |   |  | 4914495   |          | 7654495C  |
| BB940, BB940A, BB950, BB960, BB960A,<br>BB9060 & BB9080 (Pre-2011) Std/Packer  | N                 | R            |  | 7964495C   |   |  | 4914495   |          | 7654495C  |
| BB940, BB940A, BB960, BB960A, BB9060 &<br>BB9080 (Pre-2011) Roto-Cutter        | N                 | R            |  | 7964497C   |   |  | 4914497   |          | 7654497C  |

\*Y=Integrate w/baler N=No integration w/baler  
K=006-6650VAK-Krone CCI 1200, above 976909

O=Tablet/Virtual Terminal optional  
R=Tablet, VT, Tractor ISO required

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
Rev. 9/19/2023

2023 Harvest Tec Selection Guide

| Large Square<br>Applicators             | Display Options*     |                 | 700 Series Automatic<br>Controlled with ISOBUS, Tablet or VT<br>(6 - 8 hours to install) |          |            | Electronic<br>(3 - 4 hours to install) |          |           | Upgrade Electronic<br>to Automatic<br>(Display not included) |
|---|----------------------|-----------------|--|----------|------------|--|----------|-----------|--|
|   | Baler ISO<br>Display | Tablet or<br>VT | 100 Gal.   | 110 Gal. | 115 Gal.   | 100 Gal.                               | 110 Gal. | 115 Gal.  | Part #   |
|   |                      |                 |  |          |            |  |          |           |  |
| <b>NEW HOLLAND continued</b>            |                      |                 |  |          |            |  |          |           |  |
| BB9080 Standard / Packer, 2011 or newer | N                    | R               |  | 7964528C |            |  | 4914528  |           | 7654528C   |
| BB9080 Roto-Cutter, 2011 or newer       | N                    | R               |  | 7964529C |            |  | 4914529  |           | 7654529C   |
| D 2000                                  | N                    | R               |  | 7964495C |            |  | 4914495  |           | 7654495C   |
| BigBaler 230                            | Y                    | O               |  |          | 7964532C** |  |          | 4914532** | 7654532C**   |
| BigBaler (330, 330+) Standard or Packer | Y                    | O               |  |          | 7964533C** |  |          | 4914533** | 7654533C**   |
| BigBaler (330, 330+) Roto Cut           | Y                    | O               |  |          | 7964635C** | **Exclusive to CNH Dealers Only        |          | 4914535** | 7654635C**   |
| BigBaler (340, 340+) Standard or Packer | Y                    | O               |  |          | 7964534C** |  |          | 4914534** | 7654534C**   |
| BigBaler (340, 340+) Roto Cut           | Y                    | O               |  |          | 7964636C** |  |          | 4914536** | 7654636C**   |
| BigBaler 340, 1290 High Density         | Y                    | O               |  |          | 7954636C** |  |          | 4904536** | 7654636C**   |
| <b>NEW IDEA</b>                         |                      |                 |  |          |            |  |          |           |  |
| 7233                                    | N                    | R               |  | 7964490C |            |  | 4914490  |           | 7654490C   |
| 7234                                    | N                    | R               |  | 7964492C |            |  | 4914492  |           | 7654492C   |
| 7244                                    | N                    | R               |  | 7964491C |            |  | 4914491  |           | 7654491C   |
| 7333                                    | N                    | R               |  | 7964494C |            |  | 4914494  |           | 7654494C   |
| 7333 with Cutter                        | N                    | R               |  | 7964500C |            |  | 4914500  |           | 7654500C   |
| <b>VICON &amp; TAARUP</b>               |                      |                 |  |          |            |  |          |           |  |
| LB 8200, 6570, 6570 OC                  | N                    | R               |  | 7964510C |            |  | 4914510  |           | 7654510C   |
| LB 12200, 6690, 6690 OC                 | N                    | R               |  | 7964511C |            |  | 4914511  |           | 7654511C   |
| <b>WELGER</b>                           |                      |                 |  |          |            |  |          |           |  |
| D 4000, 5000, 6000                      | N                    | R               | 7964498C   |          |            |  | 4914498  |           | 7654498C   |

\*Y=Integrate w/baler N=No integration w/baler  
K=006-6650VAK-Krone CCI 1200, above 976909

O=Tablet/Virtual Terminal optional  
R=Tablet, VT, Tractor ISO required

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
Rev. 9/19/2023

**2023 Harvest Tec Selection Guide**

|   |         |   |  |  |
|---|---------|---|--|--|
| <b>Round Baler Moisture Kits</b>  |         |   | <b>Common Accesories</b>                               | These accessories are commonly sold with round baler applicator kits and are compatible with any baler |
| 2-Disc RB H2O Precision Moisture Sensor   | 201RB*  | *Display not included, requires Smart phone or tablet | 474A Crop Eye Kit - Auto & Elect.                      | 4670DK iPad Mini Kit.  |
| 2-Disc CNH Roll & PRO Belt, Kubota, Kuhn 3195 Balers H2O Precision Moisture Sensor      | 201RBC* |   | 474C Crop Eye Kit - 700 Series Only                    | Hay App/Prec Baling App Preloaded  |
| Fixed chamber Round Baler add on kit for all fixed chamber balers. (requires 201RB/RBC) | 200FCA  |   | 488 Surface wrap light kit for 7,8,9, Series JD balers | 1670DK Android Field Ready Kit (700 Series Only)   |
| Dye Marker Kit for H2O Precision Sensor - includes 200FCA (requires 201RB/RBC)          | 200DM   |   | 490 Surface wrap LED light kit for 0 Series JD balers  | 7670DK Harvest Tec Virtual Terminal (700 Series Only)  |
|   |         |   |  | 9215 Electric Preservative Transfer Pump (4gpm / 110V)   |
|   |         |   |  | 9212 Electric Preservative Transfer Pump (4gpm / 12V)  |

| Round Baler Applicators  | 700 Series Automatic<br>Does not include display*<br>(6 - 8 hours to install) |          | 300 Series Automatic<br>Does not include display*<br>(4 - 6 hours to install) |          | Electronic<br>(3 - 4 hours to install) |         | Manual<br>(3-4 hour install) | Upgrade<br>Electronic to<br>300 Automatic<br>(Display not included) |          |
|--|---|----------|---|----------|--|---------|------------------------------|---|----------|
|  | Baler Model   | 25 Gal.  | 55 Gal.   | 25 Gal.  | 55 Gal.                                | 25 Gal. | 55 Gal.                      | 25 Gal.   | Part #   |
| <b>AGCO</b>  |   |          |   |          |  |         |                              |   |          |
| 5134, 5145, 550  |   |          |   | 3464484C |  | 4414484 |                              | 4394484   | 3U64484C |
| 5446, 5456, 5545, 5546 Standard & Silage<br>2745, 2746, 2746A, 2756A, 2766 |   |          |   |          | 3494508C                               |         | 4484508                      |   | 3U94508C |
| 2846, 2846A, 2856, 2856A,<br>2946, 2946A, 2956, 2956A                      |   | 7494524C |   |          | 3494524C                               |         | 4484524                      |   | 3U94524C |
| <b>CASE IH</b>   |   |          |   |          |  |         |                              |   |          |
| 8400 Series  |   |          |   | 3464484C |  | 4414484 |                              | 4394484   | 3U64484C |
| RB 444   |   |          |   | 3464484C |  | 4414484 |                              | 4394484   | 3U64484C |
| RB 454,464<br>(Bale slice models require (x2) 001-4703BR)                  | 74725   |          |   | 34725    |  | 44225   |                              |   | 3U725    |
| RB 554, 564  |   | 74755    |   |          | 34755                                  |         | 44255                        |   | 3U755    |
| RBX 442, 443, 451, 461, 561  |   |          |   | 3464484C |  | 4414484 |                              | 4394484   | 3U64484C |
| RBX 452, 453, 462, 463<br>(4' wide twine only models contact HT)           | 74725   |          |   | 34725    |  | 44225   |                              |   | 3U725    |
| RBX 552, 553, 562, 563, 564  |   | 74755    |   |          | 34755                                  |         | 44255                        |   | 3U755    |
| RB 455, 465, 560, 565  |   | 747C     |   |          | 347C                                   |         | 442C                         |   | 3U7C     |
| RB455A Utility Baler   |   |          |   | 347U     |  | 442U    |                              |   | 3U7U     |
| RB456, 466 HD Pro Models   |   | 747P     |   |          | 347P                                   |         | 442P                         |   | TBD      |
| RB Utility Plus Baler  |   |          |   | 347UP    |  | 442UP   |                              |   | TBD      |

\*300 600 Series Automatic kits DO NOT include display. Order 4670DK for iPad display kit

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
\*\*55gal upgrade requires PMP-3636MT, (345,346) Systems Call HT

2023 Harvest Tec Selection Guide

| Round Baler<br>Applicators                                     | 700 Series Automatic<br>Does not include display*<br>(6 - 8 hours to install) |          | 300 Series Automatic<br>Does not include display*<br>(4 - 6 hours to install) |          | Electronic<br>(3 - 4 hours to install) |         | Manual<br>(3-4 hour install) | Upgrade<br>Electronic to<br>300 Automatic<br>(Display not included) |
|--|---|----------|---|----------|--|---------|------------------------------|---|
|  | 25 Gal.   | 55 Gal.  | 25 Gal.   | 55 Gal.  | 25 Gal.                                | 55 Gal. | 25 Gal.                      | Part #  |
| <b>CHALLENGER</b>  |   |          |   |          |  |         |                              |   |
| RB 34, 44, 45, 452   |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484C  |
| RB 46, 56  |   |          |   | 3494508C |  | 4484508 |                              | 3U94508C  |
| RB 453, 453A, 463, 463A, 563, 563A, RB 56C,<br>RB56CA          |   | 7494524C |   | 3494524C |  | 4484524 |                              | 3U94524C  |
| <b>CLAAS</b>   |   |          |   |          |  |         |                              |   |
| Rollant Fixed Chamber  |   |          | 3464484C  |          | 4414484                                |         | 4394484                      |   |
| Variable Round Balers  |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484C  |
| <b>HESSTON</b>   |   |          |   |          |  |         |                              |   |
| 500 Series: 530, 540, 545, 550, 555S, 555T, 560,<br>565A, 565T |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484C  |
| 700 Series - 730, 740, 745                                     |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484C  |
| 5400, 5500, 5600, 5800<br>Series Fixed Chamber                 |   |          |   |          | 4414484                                |         | 4394484                      |   |
| 814 Fixed Chamber  |   |          |   |          | 4414484                                |         | 4394484                      |   |
| 800 & 900 Series - 845, 846A, 855, 856,<br>946, 955, 956       |   |          |   | 3494508C |  | 4484508 |                              | 3U94508C  |
| <b>JOHN DEERE</b>  |   |          |   |          |  |         |                              |   |
| 430, 510, 530  |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484C  |
| 5 Series - 435, 455, 465, 535, 545, 565                        |   |          | 3464483C  | 3494504C | 4414483                                | 4484504 | 4394484                      | 3U64483C**  |
| 6 Series - 446, 456, 466, 546, 566                             |   |          | 3464483C  | 3494504C | 4414483                                | 4484504 | 4394483                      | 3U64483C**  |
| 7 Series - 447, 457, 467, 547, 557, 567                        |   |          | 3464483C  | 3494504C | 4414483                                | 4484504 | 4394483                      | 3U64483C**  |
| 8 Series - 448, 458, 468, 558, 568                             |   | 7494517C | 3464516C  | 3494517C | 4414516                                | 4484517 | 4394516                      | 3U64516C**  |
| 9 Series - 449, 459, 459E, 469, 559, 569                       |   | 7494517C | 3464516C  | 3494517C | 4414516                                | 4484517 | 4394516                      | 3U64516C**  |
| 0 Series - 440, 450, 460, 550, 560                             |   | 7494517C | 3464516C  | 3494517C | 4414516                                | 4484517 | 4394516                      | 3U64516C**  |
| 0 Series - (440, 450, 460, 550, 560) w/HC2                     |   | 7494547C | 3464546C  | 3494547C | 4414546                                | 4484547 |                              | 3U64546C  |

\*300 600 Series Automatic kits DO NOT include display. Order 4670DK for iPad display kit

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
\*\*55gal upgrade requires PMP-3636MT, (345,346) Systems Call HT

2023 Harvest Tec Selection Guide

| Round Baler<br>Applicators   | 700 Series Automatic<br>Does not include display*<br>(6 - 8 hours to install) |         | 300 Series Automatic<br>Does not include display*<br>(4 - 6 hours to install) |         | Electronic<br>(3 - 4 hours to install) |          | Manual<br>(3-4 hour install) | Upgrade<br>Electronic to<br>300 Automatic<br>(Display not included) |        |          |
|--|---|---------|---|---------|--|----------|------------------------------|---|--------|----------|
|  | Baler Model   | 25 Gal. | 55 Gal.   | 25 Gal. | 55 Gal.                                | 25 Gal.  | 55 Gal.                      | 25 Gal.   | Part # |          |
| <b>JOHN DEERE continued</b>  |   |         |   |         |  |          |                              |   |        |          |
| 960, 990, C451R, C461R, V451R, V461R                                     |   |         | 7494538C  |         |  | 3494538C |                              | 4484538   |        | 3U94538C |
| 582 Silage Special, 854  |   |         |   |         |  | 3494503C |                              | 4484503   |        | 3U94503C |
| <b>KRONE</b>   |   |         |   |         |  |          |                              |   |        |          |
| Round Pack Fixed Chamber -<br>1250, 1250 Multi-Cut, 1550, 1550 Multi-Cut |   |         |   |         |  |          |                              | 4414484   |        | 4394484  |
| KR 125, F130   |   |         |   |         |  |          |                              | 4414484   |        | 4394484  |
| Vario Pack, 1510, 1810, Comprima, Bellima                                |   |         |   |         | 3464484C                               |          |                              | 4414484   |        | 4394484  |
| <b>KUBOTA</b>  |   |         |   |         |  |          |                              |   |        |          |
| BV4160, BV4180, BV5160, BV4580   |   |         |   |         | 3464481C                               |          |                              | 4414481   |        | 3U64481C |
| <b>KUHN</b>  |   |         |   |         |  |          |                              |   |        |          |
| VB560  |   | 736K    |   |         | 336K                                   |          |                              | 436K  |        | 3U6K     |
| VB2100 Series  |   | 737     |   |         | 337                                    |          |                              | 436   |        | 3U7      |
| VB3100 Series  |   | 738K    |   |         | 338K                                   |          |                              | 438K  |        | 3U7      |
| VB7100 Series  |   | 739K    |   |         | 339K                                   |          |                              | 439K  |        | 3U9K     |
| <b>MCHALE</b>  |   |         |   |         |  |          |                              |   |        |          |
| F540, F550, F560, V660, V750, V6750                                      |   |         | 7494526C  |         |  | 3494526C |                              | 4484526   |        | 3U94526C |
| <b>MASSEY FERGUSON</b>   |   |         |   |         |  |          |                              |   |        |          |
| 1734, 1745, 1746, 1756   |   |         |   |         | 3464484C                               |          |                              | 4414484   |        | 4394484  |
| 2745, 2746, 2746A, 2756A, 2766   |   |         |   |         |  | 3494508C |                              | 4484508   |        | 3U94508C |
| 2846, 2846A, 2856, 2856A,<br>2946, 2946A, 2956, 2956A                    |   |         | 7494524C  |         |  | 3494524C |                              | 4484524   |        | 3U94524C |
| RB 4100V   |   | 731     |   |         | 331                                    |          |                              | 431   |        |          |
| <b>NEW HOLLAND</b>   |   |         |   |         |  |          |                              |   |        |          |
| 544, 548, 564, 630, 634, 638   |   |         |   |         | 3464484C                               |          |                              | 4414484   |        | 4394484  |
| 640, 644, 648, 650, 658,<br>660, 664, 668, 678, 688                      |   |         |   |         | 3464486C                               |          |                              | 4414486   |        | 4394486  |

\*300 600 Series Automatic kits DO NOT include display. Order 4670DK for iPad display kit

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
\*\*55gal upgrade requires PMP-3636MT, (345,346) Systems Call HT



2023 Harvest Tec Selection Guide

| Round Baler<br>Applicators  | 700 Series Automatic<br>Does not include display*<br>(6 - 8 hours to install) |          | 300 Series Automatic<br>Does not include display*<br>(4 - 6 hours to install) |          | Electronic<br>(3 - 4 hours to install) |         | Manual<br>(3-4 hour install) | Upgrade<br>Electronic to<br>300 Automatic<br>(Display not included) |
|---|---|----------|---|----------|--|---------|------------------------------|---|
|   | 25 Gal.   | 55 Gal.  | 25 Gal.   | 55 Gal.  | 25 Gal.                                | 55 Gal. | 25 Gal.                      | Part #  |
| <b>NEW HOLLAND continued</b>                                      |   |          |   |          |  |         |                              |   |
| BR 7060, 7070<br>(Bale slice models require (x2) 001-4703BR)      | 74725   |          | 34725   |          | 44225                                  |         |                              | 3U725   |
| BR 7080, 7090, 770, 770A, 780, 780A                               |   | 74755    |   | 34755    |  | 44255   |                              | 3U755   |
| BR 730, 730A, 7050  |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484   |
| BR 740, 740A, 750, 750A<br>(4' wide twine only models contact HT) | 74725   |          | 34725   |          | 44225                                  |         |                              | 3U725   |
| Roll Belt 450, 460, 550, 560, 565                                 |   | 747C     |   | 347C     |  | 442C    |                              | 3U7C  |
| BR450 Utility Baler   |   |          | 347U  |          | 442U                                   |         |                              | 3U7U  |
| Pro Belt 450, 460   |   | 747P     |   | 347P     |  | 442P    |                              |   |
| Roll Belt 450 Utility Plus  |   |          |   | 347UP    |  | 442UP   |                              |   |
| RF 440, 450 Fixed Chamber   |   |          | 3464482C  |          | 4414482                                |         |                              |   |
| <b>NEW IDEA</b>   |   |          |   |          |  |         |                              |   |
| 4800 Series Fixed Chamber   |   |          |   |          | 4414484                                |         | 4394484                      |   |
| 6343, 6344, 6345, 6364, 6365                                      |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484C  |
| 6454, 6464, 6465  |   |          | 3464484C  | 3494508C | 4414484                                | 4484508 | 4394484                      | 3U64484C  |
| <b>VERMEER</b>  |   |          |   |          |  |         |                              |   |
| (404, 504) Series 1 PRO   |   | 7494523C |   | 3494523C |  | 4484523 |                              | 3U94523C  |
| (504, 604) Series 2 PRO   | 731   |          | 331   |          | 431                                    |         |                              |   |
| 504 Gen 3, 604 Series 3 PRO                                       |   | 7494543C |   | 3494543C |  | 4484543 |                              |   |
| 504, 505 J, K, M, N, Series<br>504R, Rebel Series, XL Series      |   |          | 3464484C  |          | 4414484                                |         | 4394484                      | 3U64484C  |
| 604M, 605M, 604N, 605N  |   | 7494505C |   | 3494505C |  | 4484505 |                              | 3U94505C  |
| 604R Premium  |   | 7494549C |   | 3494549C |  | 4484549 |                              | 3U94549C  |
| ZR5 Self-Propelled Baler  |   | 735Z     |   | 335Z     |  | 445Z    |                              |   |

\*300 600 Series Automatic kits DO NOT include display. Order 4670DK for iPad display kit

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
\*\*55gal upgrade requires PMP-3636MT, (345,346) Systems Call HT

2023 Harvest Tec Selection Guide

| Small Square Moisture Kits   |        | Common Accessories                                    |  |   |
|--|--------|---|--|---|
| H2O Precision Moisture Kit   | 201SS* | *Display not included, requires Smart phone or tablet | 474A Crop Eye Kit - Auto & Elect.<br>474C Crop Eye Kit - 700 Series Only | 4670DK iPad Mini Kit<br>Hay App/Prec Baling App Preloaded |
| Dye Marker Kit for H2O Precision Sensor - includes 200FCA (requires 201RB/RBC)       | 200DM  |   | 9212 Electric Preservative Transfer Pump (4gpm / 12V)                    | 1670DK Android Field Ready Kit (700 Series Only)          |
| Hand-Held / Pad Style Moisture Sensor (in-chamber sensor, hand probe, windrow probe) | FX2000 |   | 9215 Electric Preservative Transfer Pump (4gpm / 110V)                   | 7670DK Harvest Tec Virtual Terminal (700 Series Only)     |

| Small Square Applicators   | 700 Series Automatic<br>Does not include display*<br>(6 - 8 hours to install) |          | 300 Series Automatic<br>Does not include display*<br>(6 hours to install) |          | Electronic<br>(3 - 4 hours to install) |         | Manual<br>(3 - 4 hours to install) |         | Upgrade Electronic to 300 Automatic<br>(Display not included) |            |
|--|---|----------|---|----------|--|---------|------------------------------------|---------|---|------------|
|  | Baler Model   | 25 Gal.  | 55 Gal.   | 25 Gal.  | 55 Gal.                                | 25 Gal. | 55 Gal.                            | 25 Gal. | 55 Gal.   | Part #     |
| <b>AGCO</b>  |   |          |   |          |  |         |                                    |         |   |            |
| 7105, 7110, 7115, 7118, 7120, 1835, 1837, 1839, 1840, 1841 (Tank top of chamber) |   | 7444416C |   | 3444416C |  | 4344416 |                                    | 4324416 |   | 3U44416C   |
| 7105, 7110, 7115, 7118, 7120, 1835, 1837, 1839, 1840, 1841 (Tank top of chamber) |   | 7444416C |   | 3444416C |  | 4344416 |                                    | 4324416 |   | 3U44416C   |
| <b>CASE IH</b>   |   |          |   |          |  |         |                                    |         |   |            |
| 8500 Series  |   | 7444416C |   | 3444416C |  | 4344416 |                                    | 4324416 |   | 3U44416C   |
| SBX 520, SB521   |   |          |   | 3454409C |  | 4414409 |                                    | 4394409 |   | 3U54409C   |
| SBX 530, 540, 550, SB531, SB541, SB551   |   | 7514415C |   | 3454415C |  | 4414415 |                                    | 4394415 |   | 3U54415C** |
| <b>CHALLENGER</b>  |   |          |   |          |  |         |                                    |         |   |            |
| SB 34, 36, 44  |   | 7444416C |   | 3444416C |  | 4344416 |                                    | 4324416 |   | 3U44416C   |
| <b>HESSTON</b>   |   |          |   |          |  |         |                                    |         |   |            |
| 4550, 4570, 4590, 4600, 4655   |   | 7444416C |   | 3444416C |  | 4344416 |                                    | 4324416 |   | 3U44416C   |
| 4690N, 4690S   |   | 7504502C |   | 3504502C |  | 4484502 |                                    |         |   | 3U04502C   |

\*300 and 600 Series Automatic kits DO NOT include display. Order 4670DK for iPad display kit.

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
\*\*55gal updgrade requires PMP-3636MT, (345,346) Systems Call HT

2023 Harvest Tec Selection Guide

| Small Square Applicators   | 700 Series Automatic<br>Does not include display*<br>(6 - 8 hours to install) |          | 300 Series Automatic<br>Does not include display*<br>- 6 hours to install) (4 |          | Electronic<br>(3 - 4 hours to install) |         | Manual<br>(3 - 4 hours to install) |         | Upgrade<br>Electronic to 300<br>Automatic<br>(Display not included) |            |
|--|---|----------|---|----------|--|---------|------------------------------------|---------|---|------------|
|  | Baler Model   | 25 Gal.  | 55 Gal.   | 25 Gal.  | 55 Gal.                                | 25 Gal. | 55 Gal.                            | 25 Gal. | 55 Gal.   | Part #     |
| <b>JOHN DEERE</b>  |   |          |   |          |  |         |                                    |         |   |            |
| 328, 336, 338, 346, 347, 348   | 7454410B  |          | 3454410C  |          | 4414410                                |         | 4394410                            |         |   | 3U54410C   |
| <b>MASSEY FERGUSON</b>   |   |          |   |          |  |         |                                    |         |   |            |
| 1835, 1836, 1837, 1838, 1839, 1840, 1841, 1842<br>(Tank mount top of bale chamber) |   | 7444416C |   | 3444416C |  | 4344416 |                                    | 4324416 |   | 3U44416C   |
| 1838, 1836, 1837, 1838, 1839, 1841, 1842<br>(Tank mount RH side of bale chamber)♦  |   | 7444417C |   | 3444417C |  | 4344417 |                                    | 4324417 |   | 3U44416C   |
| 1843N, 1843S - Engine Baler  |   | 7504502C |   | 3504502C |  | 4484502 |                                    |         |   | 3U04502C   |
| 1844N, 1844S - PTO Baler   |   | 7504485C |   | 3504485C |  | 4484485 |                                    |         |   | 3U04485C   |
| <b>NEW HOLLAND</b>   |   |          |   |          |  |         |                                    |         |   |            |
| 200, 300 Series & 565 & BC5050   |   |          | 3454409C  |          | 4414409                                |         | 4394409                            |         |   | 3U54409C   |
| 570, 575, 580 & BC5060, BC5070, BC5080   |   | 7514415C | 3454415C  | 3514415C | 4414415                                | 4404415 | 4394415                            |         |   | 3U54415C** |
| 585, BB900   |   |          |   | 3504507C |  | 4484507 |                                    |         |   | 3U04507C   |
| <b>NEW IDEA</b>  |   |          |   |          |  |         |                                    |         |   |            |
| 7205, 7210, 7215   |   | 7444416C |   | 3444416C |  | 4344416 |                                    | 4324416 |   | 3U44416C   |
| <b>WELGER</b>  |   |          |   |          |  |         |                                    |         |   |            |
| AP630, AP730, AP830  |   |          | 3454412C  |          | 4414412                                |         | 4394412                            |         |   | 3U54412C   |

♦Requires rear-mounted tow hitch on baler

\*300 and 600 Series Automatic kits DO NOT include display. Order 4670DK for iPad display kit.

~Hay Indicators (Crop-Eyes) Not Included w/Applicators~  
\*\*55gal upgrade requires PMP-3636MT, (345,346) Systems Call HT

| Self-Propelled Forage Harvester Kits        | Application Systems for Self-Propelled Forage Harvesters<br>(3 - 6 hours to install) |          |
|---|--|----------|
|   | 90 Gal.  | 100 Gal. |
| <b>CLAAS</b>                                |  |          |
| Jaguar                                      |  | 6756705  |
| <b>JOHN DEERE</b>                           |  |          |
| 6000 Series                                 |  | 6756704  |
| 7000 Series                                 | 676**  |          |
| <b>NEW HOLLAND</b>                          |  |          |
| FX and FR Series                            |  | 6756706  |
| Self-Propelled Forage Harvester Accessories | These are common accessory kits for SPFH   |          |
|   | 6712 Optional Spout Nozzle Kit for JD 6000, 7000 SPFH                                |          |
|   | 6708 Water Lube Bar for JD 8000 SPFH   |          |
| Pull-Type Forage Harvester Kits             | Application Systems for Pull-Type Forage Harvesters<br>(3 - 4 hours to install)      |          |
|   | 55 Gal.  |          |
| <b>CASE IH</b>                              |  |          |
| ALL   | 655  |          |
| <b>GEHL</b>                                 |  |          |
| 1085, 1285                                  | 655  |          |
| <b>HESSTON</b>                              |  |          |
| ALL   | 655  |          |
| <b>JOHN DEERE</b>                           |  |          |
| ALL   | 655  |          |
| <b>NEW HOLLAND</b>                          |  |          |
| ALL   | 655  |          |

\*\*Exclusive to John Deere dealers only

2023 Harvest Tec Selection Guide

| <b>Accessories</b>   |  | <b>Shipping Weight</b> | <b>List Price</b> |
|--|--|------------------------|-------------------|
| <b>Part #</b>  | <b>Description</b>   | <b>Lbs.</b>            |                   |
| <b>Hay Preservative U.S.A.</b>   |  |                        |                   |
| 0903   | 15 Gallon Drum of Baler's Choice (120 Lbs.) Hay Preservative   | 135                    |                   |
| 0904   | 50 Gallon Drum of Baler's Choice (450 Lbs.) Hay Preservative   | 480                    |                   |
| 0904PQ   | Pallet of 50 Gallon Drums of Baler's Choice (4/Pallet)   | 1975                   |                   |
| 0908   | 200 Gallon Tote of Baler's Choice (1,800 Lbs.) Hay Preservative  | 1975                   |                   |
| 0909   | 265 Gallon Tote of Baler's Choice (2,380 Lbs.) Hay Preservative  | 2555                   |                   |
| <b>Hay Preservative Canada - CONTACT PESTELL MINERALS AND INGREDIENTS (519) 662-2877</b> |  |                        |                   |
| 0903C  | 15 Gallon Drum of Baler's Choice (120 Lbs.) Hay Preservative - Canada                                      | 135                    |                   |
| 0904C  | 50 Gallon Drum of Baler's Choice (450 Lbs.) Hay Preservative - Canada                                      | 480                    |                   |
| 0909C  | 265 Gallon Tote of Baler's Choice (2,380 Lbs.) Hay Preservative - Canada                                   | 2555                   |                   |
| <b>Hay Preservative Accessories</b>  |  |                        |                   |
| 9212   | 12 Volt Electric Transfer Pump (4 gallons per minute)  | 24                     |                   |
| 9215   | 110 Volt Electric Transfer Pump (4 gallons per minute)   | 24                     |                   |
| 9213   | Hand Transfer Pump   | 3                      |                   |
| 9214   | 12 Volt High Output Electric Transfer pump (15 gallon per minute)  | 38                     |                   |
| <b>Accessories</b>   |  |                        |                   |
| 201SS  | H2O Precision Moisture Kit - Small Square Balers   | 14                     |                   |
| 201RB  | H2O Precision Moisture Kit - Universal Kit for Round Balers  | 14                     |                   |
| 201RBC   | H2O Precision Moisture Kit - NH Rollbelt, CaseIH RB5, Kubota BV, McHale Balers                             | 14                     |                   |
| 201LS  | H2O Precision Moisture Kit - Large Square Balers   | 8                      |                   |
| 200DM  | Dye Market Kit - Compatible with H2O Precision Moisture Kit  | 15                     |                   |
| 2670DK   | Universal <i>Referred</i> iPad Mini display w/ Hay App, mount, and charger) for 300, 400, and 600          | 8                      |                   |
| 474A   | Hay Indicator Kit (Crop Eyes) for 2005 and Newer Automatic & Electronic Control                            | 5                      |                   |
| 474C   | Hay Indicator Kit (Crop Eyes) for 700 Series Only  | 5                      |                   |
| 488**  | Light Kit for net wrap compartment for John Deere 7, 8, 9 Series round balers                              | 5                      |                   |
| 490**  | Light Kit for net wrap compartment for John Deere 0 Series round balers                                    | 5                      |                   |
| 4651   | Moisture Standard Testing Unit for Automatic Applicators   | 2                      |                   |
| 4670DK   | Universal iPad Mini display (iPad mini 4 w/ Hay App, mount, and charger) for 300, 400, and 600             | 8                      |                   |
| 6670D  | 300 & 600 series wired iPad display kit (includes 6672C and 4670DK). MY20 & newer only.                    | 8                      |                   |
| 6672C  | 300 & 600 series wired iPad Integration Control - MY20 & newer only.                                       | 5                      |                   |
| 1670DK   | 700 Series Applicator ANDROID Tablet Monitor Kit - Precision Bale App preloaded                            | 5                      |                   |
| 770MWM   | 700 Series Pre-Compression Chamber Microwave Sensors (Only CNH BB & LB and AGCO 2100 & 2200 Series Balers) | 18                     |                   |
| 771MWM   | 700 Series Rear Chute Microwave Sensors  | 18                     |                   |
| 740DM  | Moisture Dye Marker Kit for Large Square Balers  | 34                     |                   |
| 745RFV   | RFV Dye Marker Kit for Large Square Balers 700 SERIES (AGCO/CNH Balers w roller chute scales)              | 60                     |                   |
| 7670DK   | 700 Series Applicator VT Monitor Kit   | 8                      |                   |
| 780GPS   | GPS attachment for 700 SERIES (GPS receiver included)  | 3                      |                   |
| 800  | Dye (Red) for Dye Marker Kit (mixes 3 gallons)   | 1                      |                   |
| 840  | 600 Series Applicator Dye Marker   | 50                     |                   |
| F2000  | Delmhorst Hand-Held Kit - Digital with Windrow Tester & 10" Probe  | 3                      |                   |
| FX2000   | Delmhorst Combination Hand-Held & In-Chamber Tester  | 6                      |                   |

\*\*Exclusive to John Deere dealers only